

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

09/818,367

L Number	Hits	Search Text	DB	Time stamp
-	1657	hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:54
-	621837	right near4 left	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:55
-	1228	render\$5 with (right near4 left)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:56
-	17	hebrew and (render\$5 with (right near4 left))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:08
-	562	scan\$5 with select\$5 with text	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:07
-	364	(render\$5 with (right near4 left)) and scan\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:11
-	138	(render\$5 with (right near4 left)) and scan\$5 and ((select\$4 mark) with (portion area))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:14
-	75	(render\$5 with (right near4 left)) and scan\$5 and ((select\$4 mark) with (portion area)) and text	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:15
-	61	hebrew and scan\$5 and ((select\$4 mark) with (portion area)) and text	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:39
-	21	(render\$5 with (right near4 left)) and ((select\$4 mark) with (portion area) with text)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:40
-	39	hebrew and ((select\$4 mark) with (portion area) with text)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:03
-	7380	"left-to-right"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:13
-	465	"left-to-right" and (select\$5 with (text formula) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:05
-	2251	"left-to-right" and "right-to-left"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:14

-	44	hebrew and ("left-to-right" and "right-to-left")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 18:49
-	0	("left to right" and "right to left")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 18:48
-	2299	"left-to-right" and "right-to-left"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/24 18:49
-	20	("left-to-right" and "right-to-left") and hyphen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:36
-	23	("left-to-right" and "right-to-left") and hyphen\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:28
-	20	("left-to-right" and "right-to-left") and hyphen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 11:11
-	3	((("left-to-right" and "right-to-left") and hyphen\$6) not (("left-to-right" and "right-to-left") and hyphen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 11:11
-	746	("left-to-right" and "right-to-left") and (mark attach)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 11:16
-	1875	("left-to-right" and "right-to-left") and (number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 11:26
-	26	("left-to-right" and "right-to-left") and (number with dash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 11:28
-	845	((("left-to-right" and "right-to-left") bi-direct\$5) and (number and dash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 11:31
-	101	("left-to-right" and "right-to-left") and dash	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:30
-	282	("left-to-right" and "right-to-left") and fragment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 11:37
-	2	((("left-to-right" and "right-to-left") and fragment) and hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 11:38

-	17	((("left-to-right" and "right-to-left") and (mark attach)) and hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:07
-	41	((("left-to-right" and "right-to-left") and (number)) and hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 12:27
-	1920	("left-to-right" and "right-to-left") and (math\$9 expression phone numbers formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:45
-	706	("left-to-right" and "right-to-left") and (math\$9 expression (phone adj number) formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:56
-	18	((("left-to-right" and "right-to-left") and (math\$9 expression (phone adj number) formula)) and hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 14:46
-	92	("left-to-right" and "right-to-left") and (math\$9 expression (phone adj number) formula) and (bi-direct\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:00
-	13	hebrew and (minus adj sign)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:15
-	130	hebrew and (minus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:16
-	22	((("left-to-right" and "right-to-left") and (calculat\$5 formula minus math\$9)) and hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 15:32
-	1110	("left-to-right" and "right-to-left") and (calculat\$5 formula minus math\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:04
-	16	("left-to-right" and "right-to-left") with (calculat\$5 formula minus math\$9)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:25
-	10	("left-to-right" and "right-to-left") with (numer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:27
-	506	((bi-direct\$5 bidirect\$5) with (text language))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:29
-	443	("left-to-right") with (formula number hyphen expression minus calculat\$5 numer\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:47

-	30	((bi-direct\$5 bidirect\$5) with (text language)) and hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:37
-	16	("left-to-right") with (formula number hyphen expression minus calculat\$5 numer\$5)) and hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:30
-	156	("left-to-right") with (equa\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:50
-	3	("left-to-right") with (equa\$7) and hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:51
-	10	("left-to-right") with (configur\$5 with read)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:53
-	16	("left-to-right") with hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 16:59
-	59	hebrew with num\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/25 17:00
-	14	hebrew and (negative adj number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:43
-	53	hebrew and (left with right) and (equation)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 10:44

L Number	Hits	Search Text	DB	Time stamp
-	1657	hebrew	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:54
-	621837	right near4 left	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:55
-	1228	render\$5 with (right near4 left)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 16:56
-	17	hebrew and (render\$5 with (right near4 left))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:08
-	562	scan\$5 with select\$5 with text	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:07
-	364	(render\$5 with (right near4 left)) and scan\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:11
-	138	(render\$5 with (right near4 left)) and scan\$5 and ((select\$4 mark) with (portion area))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:14
-	75	(render\$5 with (right near4 left)) and scan\$5 and ((select\$4 mark) with (portion area)) and text	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:15
-	61	hebrew and scan\$5 and ((select\$4 mark) with (portion area)) and text	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:39
-	21	(render\$5 with (right near4 left)) and ((select\$4 mark) with (portion area) with text)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 17:40
-	39	hebrew and ((select\$4 mark) with (portion area) with text)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:03
-	7380	"left-to-right"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:13
-	243899	select\$5 with (text formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:04
-	465	"left-to-right" and (select\$5 with (text formula) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:05


-	2251	"left-to-right" and "right-to-left"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:14
-	44	hebrew and ("left-to-right" and "right-to-left")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 18:14
-	787	(715/530).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 11:51
-	1779	(707/2).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 11:52
-	1595	(707/4).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 11:53
-	1288	(707/6).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 11:54
-	2499	(707/100).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/17 11:55
-	2	("5251292").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 11:25
-	30	scan\$5 and Hebrew and (text near4 direct\$5) and (left near4 right)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 14:26
-	7	scan\$5 and Hebrew and (text near4 direct\$5) and (left near4 right) and hyphen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 14:38
-	10	scan\$5 and Hebrew and (text near4 direct\$5) and (left near4 right) and (minus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 14:40
-	10	scan\$5 and Hebrew and (text near4 direct\$5) and (left near4 right) and (neutral)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:14
-	26	scan\$5 and Hebrew and (bidirection\$5 bi-direct\$5) and (left near4 right)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:41
-	7	scan\$5 and Hebrew and (bidirection\$5 bi-direct\$5) and (left near4 right) and hyphen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:46

-	2	scan\$5 and Hebrew and (bidirection\$5 bi-direct\$5) and (left near4 right) and (numer\$5 near formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:48
-	4	scan\$5 and Hebrew and (bidirection\$5 bi-direct\$5) and (left near4 right) and (formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:52
-	26	scan\$5 and Hebrew and (bidirection\$5 bi-direct\$5) and (left near4 right) and (number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:17
-	3	(conver\$5 translat\$5) and Hebrew and (bidirection\$5 bi-direct\$5) and (left near4 right) and (formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:54
-	55	(conver\$5 translat\$5) and Hebrew and (left near4 right) and (formula)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:57
-	9	(conver\$5 translat\$5) and Hebrew and (left near4 right) and (formula) and hyphen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:54
-	46	((conver\$5 translat\$5) and Hebrew and (left near4 right) and (formula)) not ((conver\$5 translat\$5) and Hebrew and (left near4 right) and (formula) and hyphen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 15:57
-	251710	(left near4 right) and (right near4 left) and read\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:18
-	15773	(left near4 right) same (right near4 left) with read\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:18
-	520	conver\$5 with (left near4 right) with (right near4 left) with read\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:19
-	1	rend\$5 with hebrew with (left near4 right) with read\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:20
-	4	display\$5 with hebrew with (left near4 right) with read\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:21
-	25	display\$5 with hebrew with (left near4 right)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:35
-	1	hebrew with (left near4 right) with formula	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:36



-	1	hebrew and (left near4 right) with formula	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:38
-	68	("left-to-right") with formula	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:40
-	1	((("left-to-right") with formula) and (bidirect\$5 bi-direct\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:41
-	7	((("left-to-right") with formula) and ("right-to-left"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:41
-	2297	("left-to-right") and ("right-to-left")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:58
-	292	("left-to-right") and ("right-to-left") and formula	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:59
-	6	("left-to-right") and ("right-to-left") with formula	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:59
-	2	("left-to-right") and ("right-to-left") and hebrew and formula	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 16:59
-	292	("left-to-right") and ("right-to-left") and formula	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 17:02
-	144	("left-to-right") and ("right-to-left") and formula and text	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 17:02
-	1	("left-to-right") and ("right-to-left") and formula and text and hyphen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 17:02
-	1	("left-to-right") and ("right-to-left") and formula and hyphen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 17:03
-	20	("left-to-right") and ("right-to-left") and hyphen	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/21 17:03
-	23	("left-to-right") and ("right-to-left") and hyphen\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:28

-	1873	("left-to-right") and ("right-to-left") and number	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 17:26
-	62	("left-to-right") and ("right-to-left") with number	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 17:40
-	3	("left-to-right") and ("right-to-left") with hyphen\$5	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/21 17:40
-	6	("left-to-right") and (minus with hyphen)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/29 12:30
-	3	("left-to-right") and (minus with rule)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/29 12:35
-	53	("left-to-right") and (minus with sign)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/29 12:35

[Return to the USPTO NPL Page](#) | [Help](#)

Marked List : 0 articles

Interface language:

English

Databases selected: Multiple databases...

[What's New](#)

## Results

4 articles found for: *display and number and left and right and hebrew*[All sources](#) | [Scholarly Journals](#) | [Trade Publications](#) | [Newspapers](#)☐ [Mark / Clear all on page](#)[View marked articles](#)[Show all documents](#)Sort results by: [Most recent articles first](#)☐ 1. **We're talkin' dog tags***R R Keene. Leatherneck. Quantico: Jun 2001. Vol. 84, Iss. 6; p. 28 (6 pages)*[Text+Graphics](#)[Page Image - PDF](#)[Abstract](#)☐ 2. **The UNlverse Project: state-of-the-art of the standards, softwares and systems which will underpin the development. Part 1: Z39.50: WWW Integration with Z39.50; and Unicode***Clissman, C., Murray, R., Davidson, E., Hands, J., et al. New Library World. London: 1997. Vol. 98, Iss. 1138; p. 267*[Full text](#)[Abstract](#)☐ 3. **Divergent Approaches; [Magazine Edition]***Emanuel Feldman. Jerusalem Post. Jerusalem: Apr 14, 1995. p. 26*[Full text](#)[Abstract](#)☐ 4. **GOLAN SPLASH***Aviva Bar-Am. Jerusalem Post. Jerusalem: Aug 31, 1990. p. 21*[Full text](#)[Abstract](#)

1-4 of 4

Results per page: [30](#)

## Basic Search

[Tools:](#) [Search Tips](#) [Browse Topics](#) [2 Recent Searches](#)[Search](#)[Clear](#)Database: [Multiple databases...](#)[Select multiple databases](#)Date range: [All dates](#)Limit results to: ☒ Full text articles only☐ Scholarly journals, including peer-reviewed [About](#)[More Search Options](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

hebrew hyphen

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 1 - 10 of about 12,800 for **hebrew hyphen**. (0.38 second)

### Re: Concerning the **hyphen** confusion in BiDi (was: Re ...

... with the Unicode and Bidi standards, > but I expect the **hebrew** character codepages, as opposed to keyboards, > to have a separate code for **hebrew hyphen** I don't ...

mail.gnome.org/archives/gtk-i18n-list/ 2000-November/msg00087.html - 6k - [Cached](#) - [Similar pages](#)

### Re: Concerning the **hyphen** confusion in BiDi (was: Re ...

... tzafrir@technion.ac.il> writes: > Hi > > On Fri, 10 Nov 2000, Pablo Saratxaga wrote: > > I don't think there is such a thing as "**hebrew hyphen**" (nor even ...

mail.gnome.org/archives/gtk-i18n-list/ 2000-November/msg00099.html - 5k - [Cached](#) - [Similar pages](#)

[ [More results from mail.gnome.org](#) ]

### Linux-IL: Re: OpenOffice BiDi kudos

... On 2003/10/04 13:44, Eran Tromer wrote: > OOe 1.1 seems to have the usual **hebrew-hyphen-number** problem > ("H-5" renders as "H5-"), which necessitates typing ...

mirror.hamakor.org.il/ archives/linux-il/10-2003/5681.html - 9k - [Cached](#) - [Similar pages](#)

### Using Arabic and **Hebrew** PostScript fonts with Ps-anc

... consideration as a more complete PostScript **Hebrew** font. It looks like the character in the 2D (hex) position is supposed to be used for a **hyphen** character. ...

www.math.clemson.edu/~rsimms/ genealogy/ll/ps-anc/semitic/ - 8k - [Cached](#) - [Similar pages](#)

### DOCTYPE writingSystemDeclaration PUBLIC "-//TEI P3//DTD Auxiliary ...

... ENTITY % ISOdia public "ISO 8879:1986//ENTITIES Diacritical Marks//EN"> %ISOdia; <!entity hyphenhb sdata "[hyphhb]" --**Hebrew hyphen**--> <!entity dlowline sdata ...

imbolc.ucc.ie/~pflynn/wsd/iso88598.wsd - 23k - [Cached](#) - [Similar pages](#)

### NYPL, Dorot Jewish Division, **Hebrew** Books

... When romanized, **Hebrew** prefixes are almost always separated by a **hyphen** from the word to which they are joined ie not haarets BUT ha-arets. With this in mind: ...

www.nypl.org/research/chss/jws/romanisation.html - 17k - Sep 23, 2004 - [Cached](#) - [Similar pages](#)

### Violence in the **hyphen**

... And yet, the two cultures, Western and **Hebrew**, have cohabited, intermingled, and stood ... The conduit, the **hyphen**, the cultural corpus callosum, is the concept of ...

www.arts.uwa.edu.au/MotsPluriels/MP1901dpHyphen.html - 5k - [Cached](#) - [Similar pages](#)

### Windows Code Page 1255

... QUOTATION MARK AC = U+00AC : NOT SIGN AD = U+00AD : SOFT **HYPHEN** AE = U ... THREE QUARTERS BF = U+00BF : INVERTED QUESTION MARK C0 = U+05B0 : **HEBREW** POINT SHEVA C1 ...

www.microsoft.com/globaldev/reference/sbcs/1255.htm - 36k - [Cached](#) - [Similar pages](#)

### Re: **Hebrew** Hyphenation

... No spaces around them. > > **Hebrew** fonts contain a **hyphen** and a maqaf. The **hyphen** is in the > middle of the line (like a math minus ...

www.mail-archive.com/ lyx-docs@lists.lyx.org/msg00158.html - 8k - [Cached](#) - [Similar pages](#)

### RE: The fate of **Hebrew** texts with **Hyphen**-Minus instead of Maqaf ...

RE: The fate of **Hebrew** texts with **Hyphen**-Minus instead of Maqaf. ... Next message : Mark Davis: "Re: The fate of **Hebrew** texts with **Hyphen**-Minus instead of Maqaf"; ...

lists.w3.org/Archives/Public/ www-international/2003JulSep/0184.html - 14k - [Cached](#) - [Similar pages](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

hebrew hyphen

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 11 - 20 of about 12,800 for hebrew hyphen. (0.68 second)

[\[emacs-bidi\] UTR#9 - Unicode BiDi \(was Re: OpenOffice BiDi kudos\) ...](#)

... 15:01:04 +0200, Shachar Shemesh <address@bogus.example.com> wrote: > > Eran Tromer wrote: > > > OOe 1.1 seems to have the usual **hebrew-hyphen**-number problem ...  
[lists.gnu.org/archive/html/emacs-bidi/2003-10/msg00008.html](http://lists.gnu.org/archive/html/emacs-bidi/2003-10/msg00008.html) - 8k - [Cached](#) - [Similar pages](#)

[Linux-IL: Re: OpenOffice BiDi kudos](#)

... 2003, Eran Tromer wrote: > > > On 2003/10/03 19:44, Alexander Maryanovsky wrote: > > > > OOe 1.1 seems to have the usual **hebrew-hyphen**-number problem > > ("H-5 ...  
[mirror.hamakor.org.il/archives/linux-il/10-2003/5672.html](http://mirror.hamakor.org.il/archives/linux-il/10-2003/5672.html) - 8k - [Cached](#) - [Similar pages](#)  
[\[ More results from mirror.hamakor.org.il \]](#)

[\[Israel.pm\] Using Hebrew "dash"](#)

... Someone told me that this is because my **hyphen** is in English. Is there such a thing as a **Hebrew hyphen**? Has anyone else come across this and solved it? Yehuda. ...  
[perl.org.il/pipermail/perl/2004-March/004401.html](http://perl.org.il/pipermail/perl/2004-March/004401.html) - 3k - [Cached](#) - [Similar pages](#)

[\[Israel.pm\] Using Hebrew "dash"](#)

... Someone told >me that this is because my **hyphen** is in English. Is there such a >thing as a **Hebrew hyphen**? Has anyone else come across this and solved >it? ...  
[perl.org.il/pipermail/perl/2004-March/004402.html](http://perl.org.il/pipermail/perl/2004-March/004402.html) - 4k - [Cached](#) - [Similar pages](#)

[Notes for Conversion of Hebrew Bible \(Old Testament\), Greek New ...](#)

... one pdb. sirach font: 4/18/03 --raised and thickened the **Hebrew hyphen**  
 4/21/03 --combined with sirachLR to make one pdb. GNT/LXX ...  
[www.wjisp.net/convnote.txt](http://www.wjisp.net/convnote.txt) - 5k - [Cached](#) - [Similar pages](#)

[Re: Hebrew Hyphenation](#)

... No spaces around them. > > **Hebrew** fonts contain a **hyphen** and a maqaf. The **hyphen** is in the > middle of the line (like a math minus ...  
[www.mail-archive.com/lyx-docs@lists.lyx.org/msg00158.html](http://www.mail-archive.com/lyx-docs@lists.lyx.org/msg00158.html) - 8k - [Cached](#) - [Similar pages](#)

[RE: The fate of Hebrew texts with Hyphen-Minus instead of Maqaf ...](#)

RE: The fate of **Hebrew** texts with **Hyphen**-Minus instead of Maqaf. ... Next message : Mark Davis: "Re: The fate of **Hebrew** texts with **Hyphen**-Minus instead of Maqaf"; ...  
[lists.w3.org/Archives/Public/www-international/2003JulSep/0184.html](http://lists.w3.org/Archives/Public/www-international/2003JulSep/0184.html) - 14k - [Cached](#) - [Similar pages](#)

[Re: The fate of Hebrew texts with Hyphen-Minus instead of Maqaf ...](#)

Re: The fate of **Hebrew** texts with **Hyphen**-Minus instead of Maqaf. ... What will be the fate of all **Hebrew** texts > > > > that used **Hyphen**-Minus instead? ...  
[lists.w3.org/Archives/Public/www-international/2003JulSep/0185.html](http://lists.w3.org/Archives/Public/www-international/2003JulSep/0185.html) - 15k - [Cached](#) - [Similar pages](#)  
[\[ More results from lists.w3.org \]](#)

[\[PDF\] 8-Bit Single-Byte Coded Graphic Character sets: Latin/Hebrew ...](#)

File Format: PDF/Adobe Acrobat - View as HTML  
 ... by a graphic symbol identical with, or similar to, that representing **HYPHEN**, for use ... to-left character in a bi-directional text (such as **HEBREW LETTER ALEF**). ...  
[www.ecma-international.org/publications/files/ECMA-ST/Ecma-121.pdf](http://www.ecma-international.org/publications/files/ECMA-ST/Ecma-121.pdf) - [Similar pages](#)

[Hebrew 1255](#)

... AC, 00AC, NOT SIGN. AD, 00AD, SOFT **HYPHEN**. AE, 00AE, REGISTERED SIGN. ... BF, 00BF, INVERTED QUESTION MARK. C0, 05B0, **HEBREW POINT SHEVA**. C1, 05B1, **HEBREW POINT HATAF** ...  
[www.microsoft.com/typography/unicode/1255.htm](http://www.microsoft.com/typography/unicode/1255.htm) - 29k - [Cached](#) - [Similar pages](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

hebrew hyphen

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 21 - 30 of about 12,800 for **hebrew hyphen**. (0.32 second)

[space % exclamation point %quotation mark %number sign %number ...](#)

... Copyright Sign %MULTIPLICATION SIGN %left-pointing double angle quotation mark  
 %not sign %soft **hyphen** %Registered sign %LINE ABOVE or **Hebrew** Punctuation Maqaf ...  
[imbolc.ucc.ie/~pflynn/wsd/wsdhebrew.add - 4k - Cached - Similar pages](#)

### [ISO 8859-8 Latin/Hebrew Alphabet](#)

... ISO 8859-8 Latin/Hebrew Alphabet char dec col/row oct hex description [ ] 160  
 10/00 240 ... 172 10/12 254 AC Not sign [ ] 173 10/13 255 AD Soft **hyphen** [®] 174 10 ...  
[www.columbia.edu/kermi/hebrew.html - 6k - Cached - Similar pages](#)

### [RE: Folding algorithm and canonical equivalence](#)

... to a full stop. 05BE is the **Hebrew hyphen**. Neither should be folded in  
 the general case. Jony > -----Original Message----- From ...  
[www.mail-archive.com/unicode@unicode.org/msg26007.html - 10k - Cached - Similar pages](#)  
[\[ More results from www.mail-archive.com \]](#)

### [HEBREW.305 17.04.1997 ...](#)

... en-dash; a single **hyphen** will be ignored) - Prefixes may be separated by a single  
**hyphen**, which appears in the transcription without changing the **Hebrew** writing ...  
[www.tug.org/tex-archive/ language/arabtex/doc/txt/hebrew.305 - 8k - Cached - Similar pages](#)

### [Download KLM Phonetic & Custom Yiddish Keyboards for Windows 2000](#)

... This version has been slightly modified so that all key positions will work with  
 MS Word in Windows 2000 and **Hebrew** Enabled NT. Makef (Yiddish **hyphen**) is in ...  
[www.shoshke.net/uyip/dl-windows\\_2000\\_klm-lay.htm - 19k - Cached - Similar pages](#)

### [Hebrew characters rendering test: XHTML1 / iso-8859-1](#)

Nir Dagan > **Hebrew** on the Web > Characters > Rendering test: XHTML1 / iso-8859-1.  
**Hebrew** characters rendering test: XHTML1 / iso-8859-1. ... 002D, **Hyphen**-minus, -, - ...  
[www.nirdagan.com/hebrew/characters/x-latin - 39k - Cached - Similar pages](#)  
[\[ More results from www.nirdagan.com \]](#)

### [Congregation Shir Hadash - Ask the Rabbi](#)

... the Jewish Community News spell the word God with a **hyphen**? "God" is a generic  
 Anglo-Saxon word for deity, generally considered equivalent to the **Hebrew** Elohim ...  
[www.shirhadash.org/rabbi/askrabbi/askrabbi2.html - 8k - Cached - Similar pages](#)

### [A to Z Index of Unicode Characters](#)

... **Hebrew** Points, U+05B0. **Hebrew** Presentation Forms, U+FB1D. HELM SYMBOL, U+2388. ... HWAIR,  
 LATIN CAPITAL LETTER, U+01F6. **HYPHEN**, U+2010. **HYPHEN**, ARMENIAN, U+058A. ...  
[www.fileformat.info/info/unicode/char/h.htm - 23k - Cached - Similar pages](#)

### [Is Brit Milah Inconsistent with Jewish Ethics?](#)

... on their sons. Brit Milah, or a brit or bris is the ceremony where a Jewish  
 boy is circumcised and given his **Hebrew** name. This is ...  
[hyphen.bravehost.com/QuestioningMilah.htm - 40k - Cached - Similar pages](#)

### [ISO/IEC 8859-8:1999 Latin/Hebrew Alphabet](#)

... AC, 172, 172, NOT SIGN. AD, 173, 173, SOFT **HYPHEN**. AE, 174, ®, 174, REGISTERED  
 SIGN. ... DF, 223, 8215, DOUBLE LOW LINE. E0, 224, 1488, X, **HEBREW** LETTER ALEF ...  
[www.kostis.net/charsets/iso8859.8.htm - 30k - Cached - Similar pages](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

hebrew hyphen

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 31 - 40 of about 12,800 for **hebrew hyphen**. (0.25 second)ISO 8859-8 Charset

... 0xAC, U+00AC, NOT SIGN. 0xAD, U+00AD, SOFT **HYPHEN**. 0xAE, U+00AE, REGISTERED SIGN. 0xAF, U+203E, OVERLINE. ... 0xDF, U+2017, DOUBLE LOW LINE. 0xE0, U+05D0, **HEBREW LETTER** ...  
[www.langbox.com/codeset/iso8859-8.html](http://www.langbox.com/codeset/iso8859-8.html) - 89k - [Cached](#) - [Similar pages](#)

The following is an excerpt from "Hebrew Helps for Bible ...

... The format is marred at times by placing more than one **Hebrew** word on a line. A **hyphen** is used to separate the information about one affix or word from that of ...  
[206.124.29.4/~dwasbur/hehint.html](http://206.124.29.4/~dwasbur/hehint.html) - 8k - [Cached](#) - [Similar pages](#)

Hebrew Abbreviations

... A number of expressions in the "spelled-out" sections (eg, av bet din) can be found in **Hebrew** text both with and without the **hyphen** connecting the words. ...  
[infoshare1.princeton.edu/katmandu/hebrew/intro.html](http://infoshare1.princeton.edu/katmandu/hebrew/intro.html) - 6k - [Cached](#) - [Similar pages](#)

JewishEncyclopedia.com -

... is implied. 6. The **Hebrew** article is transcribed as ha, followed by a **hyphen**, without doubling the following letter. [Not hak-Kohen ...  
[www.jewishencyclopedia.com/systems.jsp](http://www.jewishencyclopedia.com/systems.jsp) - 25k - [Cached](#) - [Similar pages](#)

Hebrew cantillation marks and their encoding (I)

... tēamim", "trope", "neginot", "accents") are diacritic symbols annotating the **Hebrew** Bible text ... smaller units; a blank terminates a word; a **hyphen** terminates a ...  
[www.lrz-muenchen.de/~hr/teamim/intro.html](http://www.lrz-muenchen.de/~hr/teamim/intro.html) - 19k - [Cached](#) - [Similar pages](#)

Character Sets: Basic Hebrew

... 2C, AC, 002C, 2C, ,, COMMA. 2D, AD, 05BE, D6BE, ¯, **HYPHEN-MINUS**, MAKEF / **HEBREW** PUNCTUATION MAQAF. 2E, AE, 002E, 2E, . PERIOD, DECIMAL POINT / FULL STOP. ...  
[lcweb2.loc.gov/cocoon/codetables/32.html](http://lcweb2.loc.gov/cocoon/codetables/32.html) - 11k - [Cached](#) - [Similar pages](#)

Code Chart for LMBCS Group 14 Lead Byte 05

... SMALL LETTER FEH, 14 05 87 ARMENIAN SMALL LIGATURE ECH YIWN, 14 05 89 ARMENIAN FULL STOP, 14 05 8A ARMENIAN **HYPHEN**, 14 05 90, 14 05 91 **HEBREW** ACCENT ETNAHTA, 14 ...  
[www.batutis.com/i18n/papers/lmbcs/group14\\_05.html](http://www.batutis.com/i18n/papers/lmbcs/group14_05.html) - 52k - [Cached](#) - [Similar pages](#)

CHANGES.TXT 10.06.1999 ...

... 3.02a Fixes: - in Arabic, alif maqsura after tanwin works again - in **Hebrew**, before an apostrophe the medial form is used - in **Hebrew**, **hyphen**/maqaf works ...  
[ftp.agh.edu.pl/pub/tex/nonfree/languages/arabtex/changes.txt](http://ftp.agh.edu.pl/pub/tex/nonfree/languages/arabtex/changes.txt) - 50k - [Cached](#) - [Similar pages](#)

How to use Yiddish Pasekh?

... Shift+B -> vey Shift+H -> khes Shift+K -> kof (**Hebrew** kaf) Shift+S -> sof Shift+T ... The **hyphen** key outputs a makef after a Yiddish letter and a **hyphen** otherwise ...  
[zsigri.tripod.com/fontboard/yidkeys.html](http://zsigri.tripod.com/fontboard/yidkeys.html) - 4k - [Cached](#) - [Similar pages](#)

Typophile Forums: Hebrew Unicode - Importance Tiers

... is used for the likes of Dr and Mr). The **hebrew hyphen** used for word-connection is called Maqaf (05BE) and should also be included with every **Hebrew** font. ...  
[www.typophile.com/forums/messages/4101/27209.html](http://www.typophile.com/forums/messages/4101/27209.html) - 93k - [Cached](#) - [Similar pages](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

hebrew hyphen ltr

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 1 - 10 of about 439 for **hebrew hyphen ltr**. (0.31 seconRe: Concerning the **hyphen** confusion in BiDi (was: Re ...

... unnatural-feeling sequence of **HEBREW** > LETTER + DIGITS + MINUS to get the effect that I want (**HEBREW** LETTER + > **HYPHEN** + DIGITS), whereas if I typed **LTR** text, I ...  
[mail.gnome.org/archives/gtk-i18n-list/2000-November/msg00084.html](mailto:mail.gnome.org/archives/gtk-i18n-list/2000-November/msg00084.html) - 6k -

[Cached](#) - [Similar pages](#)
Re: Concerning the **hyphen** confusion in BiDi (was: Re ...

... code point for U+00AD (**SOFT HYPHEN**) or even U+002D (**HYPHEN-MINUS**) if ...  
 So, is the right solution to simply have **Hebrew** keymaps have 'minus' in **LTR** mode and ...

[mail.gnome.org/archives/gtk-i18n-list/2000-November/msg00099.html](mailto:mail.gnome.org/archives/gtk-i18n-list/2000-November/msg00099.html) - 5k -

[Cached](#) - [Similar pages](#)
[\[ More results from mail.gnome.org \]](#)

## Sponsored Links

**Hebrew Translations**  
 Translators For Your **Hebrew**  
 Translation Projects  
[language123.com](http://language123.com)

**Free Hebrew Dictionary**  
 Online dictionary with verb table and roots. Boxed set also available  
[www.hebrewatmilah.org](http://www.hebrewatmilah.org)

[See your message here...](#)
Linux-IL: Re: OpenOffice BiDi kudos

... **HYPHEN-MINUS**+LRM can be used in RTL context, but breaks things in **LTR** context. Arguably, the Right Thing is to use the single character U+05BE (**HEBREW ...**  
[mirror.hamakor.org.il/archives/linux-il/10-2003/5681.html](http://mirror.hamakor.org.il/archives/linux-il/10-2003/5681.html) - 9k - [Cached](#) - [Similar pages](#)

Geocrawler.com - gtk-i18n-list - Concerning the **hyphen** confusion ...

... the unnatural-feeling sequence of **HEBREW** LETTER + DIGITS + MINUS to get the effect that I want (**HEBREW** LETTER + **HYPHEN** + DIGITS), whereas if I typed **LTR** text, I ...  
[www.geocrawler.com/archives/3/522/2000/11/50/4638285/](http://www.geocrawler.com/archives/3/522/2000/11/50/4638285/) - 14k - Supplemental Result -

[Cached](#) - [Similar pages](#)

FROM: Pablo Saratxaga DATE: 10/28/2000 02:55:45 SUBJECT: RE ...

... start a line with a word in a **LTR** script; eg ... mark) > ] A real life example: "8-bit" in **Hebrew**: "8-" gives ... people are typing text they want the **hyphen** to follow ...

[www.geocrawler.com/mail/msg\\_raw.php3?msg\\_id=4567354](http://www.geocrawler.com/mail/msg_raw.php3?msg_id=4567354) - 5k - Supplemental Result -

[Cached](#) - [Similar pages](#)
[\[ More results from www.geocrawler.com \]](#)
Re: Comparison of hoffman-idn-reg and jseng-idn-admin

... note that some characters are neither **LTR** nor RTL. ... xxxxxx> wrote: > So a registry registering **Hebrew** would want ... the word boundary) or whether a **hyphen** > or other ...

[www.imc.org/idn-reg-policy/mail-archive/msg00034.html](http://www.imc.org/idn-reg-policy/mail-archive/msg00034.html) - 6k - [Cached](#) - [Similar pages](#)

HTML Unleashed. Internationalizing HTML: Language-Specific ...

... sits between a Latin and a **Hebrew** character; in ... RFC 1766 language value -- dir (**ltr**/**rtl**)  
**#IMPLIED** ... entity &shy; that invokes the **SOFT HYPHEN** character present ...

[www.webreference.com/dlab/books/html/39-5.html](http://www.webreference.com/dlab/books/html/39-5.html) - 34k - Sep 24, 2004 -

[Cached](#) - [Similar pages](#)
HTML i18n — 4. Additional entities, attributes and elements

... is introduced, restricted to the values **LTR** (left-to ... line is indeed broken there, a **hyphen** must be ... a left-to-right direction, Arabic and **Hebrew** characters have ...

[alis.isoc.org/web\\_ml/html/rfc-i18n/rfc-i18n-4.en.html](http://alis.isoc.org/web_ml/html/rfc-i18n/rfc-i18n-4.en.html) - 16k - [Cached](#) - [Similar pages](#)

developerWorks : Java : IBM developer kits : Bidirectional support

... or more symbols may be specified as **hyphen** ("") in which ... Text Type, I (implicit) V (visual), I, Arabic and **Hebrew**. O, Orientation, L (**LTR**) R (RTL) C (Contextual ...

[www-106.ibm.com/developerworks/java/jdk/bidirectional/JAVABIDI.htm](http://www-106.ibm.com/developerworks/java/jdk/bidirectional/JAVABIDI.htm) - 43k -

[Cached](#) - [Similar pages](#)



## Complex Scripts Awareness

... numerals that have an **LTR** attribute in Arabic and **Hebrew**. ... Numbers following **LTR** words should be displayed to the ... as breaking a line at a space, tab, or **hyphen**. ...

[www.microsoft.com/globaldev/getWR/steps/wrg\\_cscripts.msp](http://www.microsoft.com/globaldev/getWR/steps/wrg_cscripts.msp) - 62k -

[Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



hebrew hyphen ltr

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

hebrew hyphen ltr

Search

[Advanced Search](#)  
[Preferences](#)

Web

Results 11 - 20 of about 439 for **hebrew hyphen ltr**. (0.33 second)

### CHANGES.TXT 23.10.2003 ...

... document classes 'arabbook', 'arabrep', 'arabart' and \*also\* in normal **LTR** mode, within ... an apostrophe the medial form is used - in **Hebrew**, **hyphen**/maqef works ...  
[www.tug.org/tex-archive/language/arabtex/doc/txt/changes.txt](http://www.tug.org/tex-archive/language/arabtex/doc/txt/changes.txt) - 71k -

[Cached](#) - [Similar pages](#)

### Re: A question about a small "makaf"

... 123, according to the Unicode standard. When > **hyphen**-minus is ... treated like a Neutral > (never as a **LTR**, as mentioned ... are at the beginning of the **Hebrew** road in ...

[www.mail-archive.com/linux-il@cs.huji.ac.il/msg12319.html](http://www.mail-archive.com/linux-il@cs.huji.ac.il/msg12319.html) - 9k - [Cached](#) - [Similar pages](#)

### Re: A question about a small "makaf"

... as a minus, and therefore it is an **LTR** character. ... frankly I don't. But until then, the **hyphen**/minus remains ... same if mozilla and konqueror would show **hebrew** in a ...

[www.mail-archive.com/linux-il@cs.huji.ac.il/msg12237.html](http://www.mail-archive.com/linux-il@cs.huji.ac.il/msg12237.html) - 9k - [Cached](#) - [Similar pages](#)

[ [More results from www.mail-archive.com](#) ]

### [DOC] PPIG 2001: Author Instructions and Template File

File Format: Microsoft Word 97 - [View as HTML](#)

... on a toolbar or from the keyboard (eg left-alt+left-shift toggles between **LTR** and **RTL** ...  
 The exercise is to place **Hebrew** letters yy between the **hyphen** and the ...

[stwww.weizmann.ac.il/g-cs/benari/articles/salv.doc](http://stwww.weizmann.ac.il/g-cs/benari/articles/salv.doc) - [Similar pages](#)

### [PDF] The Use of Unicode in MARC 21 Records What is MARC?

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... In **RTL** field, earlier date is on the right – **RTL** overall, with dates **LTR** • Example: 1967-1948 – Same with Latin **hyphen** or with **Hebrew** makef • For ...

[www.ala.org/ala/alcts/alctsconted/presentations/Aliprand.pdf](http://www.ala.org/ala/alcts/alctsconted/presentations/Aliprand.pdf) - [Similar pages](#)

### Re: 1.4 text in the content is provided in Unicode or sufficient ...

... but a phone number can be have a **hyphen** in >the ... Assuming that the text is marked as **Hebrew** or "right-to ... a left-to-right language or using dir="ltr"), then the ...

[lists.w3.org/Archives/Public/w3c-wai-gl/2004JanMar/0005.html](http://lists.w3.org/Archives/Public/w3c-wai-gl/2004JanMar/0005.html) - 13k -

[Cached](#) - [Similar pages](#)

### Linux-IL: Re: UTR#9 - Unicode BiDi (was Re: OpenOffice BiDi kudos)

... U+2010 **HYPHEN** (instead of the U+05BE maqaf) do the job, proper **Hebrew** typography aside? I've tested it on fribidi and it's rendered correctly in both **LTR** and ...

[mirror.hamakor.org.il/archives/linux-il/10-2003/5716.html](http://mirror.hamakor.org.il/archives/linux-il/10-2003/5716.html) - 8k - [Cached](#) - [Similar pages](#)

### [PDF] A System for Typesetting Biblical and Modern Hebrew with Omega and ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Numbers are entered normally, and Makor takes care to typeset them properly within the **Hebrew** (that is, the numbers are **LTR** even though the surrounding ...

[www.ibiblio.org/pub/packages/TeX/languages/hebrew/makor/tex/makor2/mkr2man.pdf](http://www.ibiblio.org/pub/packages/TeX/languages/hebrew/makor/tex/makor2/mkr2man.pdf) -

[Similar pages](#)

### ISO 8859-8 - Definition of ISO 8859-8 by Webster's Online ...

... **Hebrew**, an **RTL** script, would be written **LTR**, ie backwards. ... given, the logical order is used, and **Hebrew** must be ... **AD** is a **SOFT HYPHEN**, which should not appear at ...

[www.webster-dictionary.org/definition/ISO%208859-8](http://www.webster-dictionary.org/definition/ISO%208859-8) - 9k - [Cached](#) - [Similar pages](#)

### IGLU's Frequently Asked Questions: Xkb

... and some other useful characters (a **Hebrew hyphen**, and **RLM** ... at <http://iglu.org.il/>

h g g e c e c h h e b e h h e h e e

Sponsored Links

**Hebrew** Translations  
 Translators For Your **Heb**  
 Translation Projects  
[language123.com](http://language123.com)

[See your message here](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

hebrew hyphen ltr

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Results 21 - 30 of about 439 for hebrew hyphen ltr. (0.26 second)

[WD-css3-text-20021024 editorial suggestions from Etan Wexler on ...](#)

... directionality introduces another level" Eliminate the **hyphen**-minus ... as is common in Arabic or **Hebrew** scripts ... The direction property is set to 'ltr'." Change "as ...  
[lists.w3.org/Archives/Public/www-style/2003Jan/0290.html](#) - 41k - Sep 23, 2004 -  
[Cached](#) - [Similar pages](#)

[INTERNET-DRAFT Martin Duerst W3C/Keio University draft-duerst-iri ...](#)

... order protocol (eg by using the dir='ltr' attribute in ... it is impossible to combine Arabic or **Hebrew** letters with numbers, or to use a **hyphen** between two ...  
[www.watersprings.org/pub/id/draft-duerst-iri-bidi-00.txt](#) - 17k - Supplemental Result -  
[Cached](#) - [Similar pages](#)

[\[PDF\] The Ordering of Universal Character Strings](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)

... together with Latin, Greek, Cyrillic, **Hebrew**, and Arabic ... LATIN SMALL LETTER E <E>  
 <NONE> <LC> <LTR> ... **HYPHEN-MINUS** IGNORE IGNORE IGNORE <HPH> The  
 IGNORE ...  
[source.rfc822.org/pub/mirror/ftp.ds2.pg.gda.pl/pub/macro/DEC/DTJ/DTJB04/DTJB04PF.PDF](#) - Supplemental Result - [Similar pages](#)

[\[PDF\] Provisional Draft of Unicode 4.1 Additions](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)

... See document N2560 05A0-05FF **Hebrew** + See documents ... N2739 This is proposed  
 as an **LTR** script which ... BELOW = ligature tie below, papyrological **hyphen** • a common ...  
[anubis.dkuug.dk/jtc1/sc2/wg2/docs/n2764.pdf](#) - [Similar pages](#)

[Re: Bidi issues](#)

... part] is that although it > allows mixed LTR/RTL labels ... reason, if we choose to  
 segment on **hyphen** (all examples ... would in practice only be a problem for **Hebrew**. ...  
[www.imc.org/ietf-imaai/mail-archive/msg00415.html](#) - 8k - [Cached](#) - [Similar pages](#)

[Zeichensätze Microsoft - Workshop Internet-Präsenz](#)

... xA0): No-break space (Nicht umbrechbarer Leerraum) 173 (xAD): Soft **Hyphen**  
 (Systemtrennstrich). Windows CP-1255 (**Hebrew**). ... ך ם ן ף ץ װ ן ן ן ...  
[www.soziologie.uni-halle.de/unger/scripts/workshop\\_internet/ref\\_char\\_microsoft.html](#) - 59k  
[Cached](#) - [Similar pages](#)

[# ucd.txt # Author: TJG Veenker \(TV\), Utrecht University ...](#)

... Hani, Han, -, -, Han", -, Hano, Hanunoo, -, -, Hanunoo", -, Hebr, **Hebrew**, -, -, **Hebrew**", -,  
 Hira, Hiragana ... break version of a space or **hyphen**"; init, Initial ...  
[www.let.uu.nl/~Theo.Veenker/personal/projects/ucpx/ucd.txt](#) - 36k - [Cached](#) - [Similar pages](#)

[CSS Properties](#)

... 'direction', **ltr** | rtl | inherit, **ltr**, all elements ... latin | upper-alpha | upper-latin | **hebrew** |  
 armenian | georgian ... and higher, plus the **hyphen** (-); they cannot ...  
[www.qindex.info/Q\\_drctry/markup\\_stylesheet/CSSProperty.php](#) - 93k -  
[Cached](#) - [Similar pages](#)

[Oracle7 Server Reference Manual](#)

... It is only applicable to **Hebrew** and Arabic ... an empty string, and direction will default to  
**LTR**. ... any of the following characters: plus (+), **hyphen** (-), less than ...  
[mirrors.spb.ru/oracledocs/server/srf73/ch411.html](#) - 7k - Supplemental Result -  
[Cached](#) - [Similar pages](#)

## Sponsored Links

[Hebrew Translations](#)  
 Translators For Your **Heb**  
 Translation Projects  
[language123.com](#)

[See your message here](#)

[PDF] Conceptual Models of Software Artifacts

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... after inserting an English phrase in the LTR direction, pressing ... and you decide to write the **Hebrew** word "tsrq ... the num- ber and then the **hyphen**, because it ...

stwww.weizmann.ac.il/g-cs/benari/articles/ctw.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google